

CORONIN 1B COORDINATES ACTIN DYNAMICS IN LAMELLIPODIA

by
Liang Cai

A dissertation submitted to the faculty of the University of North Carolina at Chapel Hill in partial fulfillment of the requirements for the degree of Doctor of Philosophy in the Department of Cell and Developmental Biology.

Chapel Hill
2007

Approved by

Advisor: James Bear
Committee Member: Vytas Bankaitis
Committee Member: Keith Burridge
Committee Member: Klaus Hahn
Committee Member: Steve Rogers
Committee Member: Michael Schaller
Reader: Dorothy Schafer

© 2007
Liang Cai
ALL RIGHTS RESERVED

Abstract

LIANG CAI: CORONIN 1B COORDINATES ACTIN DYNAMICS IN LAMELLIPODIA.

(Under the direction of James Bear.)

Cell migration is critical for a variety of physiological processes. Coronins are a conserved family of actin binding proteins that affect cell migration. My research focuses on the molecular mechanism through which Coronin 1B coordinates actin dynamics in lamellipodia.

We report that Coronin 1B co-localizes with the Arp2/3 complex in lamellipodia, and co-immunoprecipitates with this complex. This interaction is regulated by PKC phosphorylation on Ser2. Further, we show that Coronin 1B interacts with not only the Arp2/3 complex but also the Slingshot 1L (SSH1L) phosphatase, two regulators of actin filament formation and turnover. Coronin 1B inhibits filament nucleation by Arp2/3 complex and this inhibition is attenuated by the Ser2 phosphorylation, a site targeted by SSH1L. Coronin 1B also directs SSH1L to lamellipodia where SSH1L likely regulates Cofilin activity via dephosphorylation. Accordingly, depleting Coronin 1B increases phospho-Cofilin levels, and alters lamellipodial dynamics and actin architecture. Thus, Coronin 1B coordinates actin assembly by Arp2/3 complex and actin disassembly by Cofilin for effective lamellipodial protrusion.

Analysis of Coronin function has been hampered by the lack of a clear understanding of how Coronin interacts with F-actin. We identify a surface-exposed conserved residue, Arg30, which is critical for Coronin 1B binding to F-actin. We demonstrate that Coronin 1B binds with high affinity to ATP/ADP-Pi F-actin, and the R30D

mutant lacking F-actin binding loses the ability to exert Coronin 1B function.

Using various biochemical assays, we show that Coronin 1B disassembles Arp2/3-containing actin branches by inducing Arp2/3 dissociation from the side of filaments, which is potently antagonized by Cortactin. Coronin 1B localizes to actin branches in a mutually exclusive manner with the Arp2/3 complex, and live-cell imaging reveals a sequential accumulation of these proteins during actin network assembly. Interestingly, depletion of Coronin 1B synchronizes the dynamics of Arp2/3 complex with the actin network. Together, we conclude that Coronin 1B replaces the Arp2/3 complex at actin branches, promotes branched actin network remodeling, and coordinates actin dynamics in lamellipodia.

This dissertation is dedicated to the following people:

- The memory of my grandmother, 李文娇, who taught me throughout her life.
- The memory of my grandfather, 董天泽, who emphasized the importance of being persistent.
- My mother, 董鸿鸿, who has been my role-model for hard work, and who instilled in me the inspiration to set high goals and the confidence to achieve them.
- My father, 蔡培祥, who has been always my strong support.
- My wife, 吴昊, who has been proud and supportive of my work and who has shared the many challenges and sacrifices for completing this dissertation.

Acknowledgments

A great many people have helped me during my study. I owe my gratitude to all those people. *Thank you very much.*

My deepest gratitude is to my advisor, Dr. James Bear. I am amazingly fortunate to have an advisor who gave me the freedom to explore, and at the same time, the guidance to recover when my steps faltered. Jim taught me not only about how to perform experiments efficiently, but also about how to write and express ideas clearly. Most importantly, he taught me about how to question thoughts and progress further based current understanding.

Dr. Dorothy Schafer, an outstanding biochemist and extremely careful scientist. She taught me all the knowledge about actin and actin biochemistry, and allowed me to use all the resources in her laboratory to explore the function of my protein.

Dr. Patrick Brennwald is very helpful during my graduate study. His insightful comments and suggestions at different stages of my research were thought-provoking. It is because of Pat's advices that really helped my projects progress smoothly.

Dr. Michael Schaller is one of the best teachers that I have had in my life. When I just started my graduate research, I did a rotation with Mike, where I had successfully mapped my protein's phosphorylation site. First victory was always enjoyable, and also built my confidence to challenge myself in a deep extent. Another important lesson from this rotation experience is that practice makes perfect.

Dr. Keith Burrige and his laboratory have been my shelter during the course

of graduate study. I am grateful to him for his encouragement and many practical advices. I would like to thank all the members of his laboratory for their continue support from various aspects.

Dr. Vytas Bankaitis, the chair of the department, is always busy; but he cares about students. He not only puts pressure on every student, but also gives suggestions about what students should do to survive in the graduate school. I am fortunate enough to have him as my committee member, and I am grateful to him for holding me to a high research standard.

Dr. Klaus Hahn and Dr. Steve Rogers are my committee members as well. I am very thankful to them for reading my reports, commenting on my research and helping me choosing my future research direction. Every suggestion they gave is proven to be valuable.

I had my first rotation with Dr. Kenneth Jacobson. It was the time when I just arrived the states, and had many class to take. It was his geniality helped me pass that jet-lagging period. His laboratory has enormous experiences with fluorescence microscopy, which proven to be a great source for my research. Specially, I would like to thank Dr. Zenon Rafur and Dr. Aaron Neumann.

Dr. Dazhi Wang, Dr. Mohanish Deshmukh and Dr. Ellen Weiss have been given suggestions and help to my research, and I am grateful to their support.

University of North Carolina at Chapel Hill has been an extreme cytoskeleton research community. I would like to thank Eric Vitriol and Sabrice Guerrier for the wonderful cytoskeleton meeting. I would like to thank Dr. Richard Cheney, Dr. Carol Otey, and Dr. Alan Fanning for their continually encouragement.

I am also indebted to past and current members of the *Bear Lab* with whom I have interacted during the course of my graduate studies. Particularly, I would like to acknowledge Nicholas Holoweckyj, Thomas Marshall, Andrea Utrecht and

Dr. David Roadcap. Tom and I have many interesting conversations for scientific discussion, and for entertainment. Andrea modified the original lentiviral vector and revolutionized the cell biology research in our laboratory. I am grateful to Thomas Marshall, Heather Aloor and James Bear for critical reading of the thesis.

Dr. Alexander Makhor in Dr. Jack Griffith's laboratory has been my closest collaborator in the past two years. We challenged each other with various electron microscopy techniques and took wonderful images to reveal the truth.

I am also grateful to the staffs in the department, for their various forms of support during my graduate study, sepecially Gina Williams and Janice Warfford.

Many friends have helped me through these years. Their support helped me stay focused on my graduate study. I greatly value their friendship and I deeply appreciate their belief in me. I have to give a special mention for the support given by Dr. Zhen Yan, Mei Zhang, Yang Liu, Dr. Wei Zou, Jian Yang, Dr. Xinming Cai, Dr. Yiwen Chen, Jianfu Chen, Qi Zhang and Dr. Jian Ma.

Dr. David Threadgill, Dr. Larysa Pevny and Dr. Terry Magnuson have been extremely helpful during the period I was looking for my post-doc laboratory. I give my deep gratitude to them.

Most importantly, none of this would have been possible without the love and patience of my family. Living and studying outside my home country are not easy. They have been my constant source of love, concern, support and strength all these years. I would like to express my heart-felt gratitude to them.

Table of Contents

Abstract	iii
List of Figures	xiv
List of Tables	xvii
List of Abbreviations	xviii
1 Introduction	1
1.1 Actin, an important element of the cytoskeleton	1
1.1.1 The biochemical activity of actin is regulated by its nucleotide composition	2
1.1.2 Actin requires nucleators to promote its polymerization	4
1.1.3 Research approaches to study actin dynamics	5
1.2 Arp2/3 complex, the generator of branched actin network	8
1.2.1 Arp2/3 complex requires NPFs for its activation	9
1.2.2 The structural role of Arp2/3 complex in branched actin network	10
1.2.3 ATP hydrolysis on the subunits regulates the Arp2/3 complex activity	12
1.3 Cortactin, the stabilizer of branched actin structure	13
1.4 Cofilin, the major regulator of actin turnover	14

1.5	Coronin, a seven bladed mystery	17
1.5.1	Domain structure and function of Coronin	18
1.5.2	Coronin plays important roles in a variety of cellular processes	22
2	Coronin-Arp2/3 interaction regulated by PKC	26
2.1	Background	27
2.2	Results	30
2.2.1	Coronin 1B is ubiquitously expressed and forms homo-oligomer <i>in vivo</i>	30
2.2.2	Coronin 1B enriches in lamellipodia and interacts with the Arp2/3 complex	31
2.2.3	Coronin 1B is phosphorylated by PKC <i>in vivo</i> , and this phos- phorylation regulates the interaction with Arp2/3 complex . .	33
2.2.4	Coronin 1B is phosphorylated on Serine 2	35
2.2.5	Coronin S2A mutant mimics non-phosphorylated protein, and has enhanced interaction with Arp2/3 complex	39
2.2.6	Coronin 1B S2A mutant promotes membrane ruffling	41
2.2.7	Coronin 1B S2A mutant promotes random cell migration	44
2.2.8	Coronin 1B S2A mutant partially protects from PMA's effect . .	45
2.3	Discussion	47
2.3.1	Coronin 1B is an important member of mammalian Coronins .	47
2.3.2	Coronin 1B activity is regulated by Serine 2 phosphorylation . .	48
2.3.3	Coronin 1B inhibits the Arp2/3 complex <i>in vitro</i> , but promotes cell migration <i>in vivo</i>	50
3	Coronin 1B coordinates Arp2/3 complex and Cofilin	53
3.1	Background	54

3.2	Results	58
3.2.1	Depletion of Coronin 1B reduces whole cell motility and modulates lamellipodial dynamics	58
3.2.2	Depletion of Coronin 1B slows retrograde actin flow, influences barbed end distribution and density, and actin architecture at the leading edge	62
3.2.3	Coronin 1B inhibits Arp2/3 complex activity in a phosphorylation dependent manner	64
3.2.4	Coronin 1B is dephosphorylated by an okadaic acid-insensitive phosphatase	70
3.2.5	Coronin 1B is a substrate of the Slingshot-1L phosphatase	70
3.2.6	Coronin 1B, Slingshot 1L and Arp2/3 form a complex <i>in vivo</i> that is bridged by Coronin 1B	75
3.2.7	Coronin 1B directly interacts with Slingshot 1L <i>in vitro</i>	77
3.2.8	Depletion of Coronin 1B inhibits SSH1L-induced membrane ruffling	78
3.2.9	Depletion of Coronin 1B disrupts normal Slingshot 1L targeting to the leading edge	82
3.2.10	Depletion of Coronin 1B inhibits Cofilin phosphatases	84
3.2.11	Activated Cofilin partially rescues the effects of Coronin 1B depletion on lamellipodial dynamics	85
3.3	Discussion	87
3.3.1	The cellular function of Coronin 1B	87
3.3.2	Coronin 1B inhibits Arp2/3-mediated nucleation in a phosphoregulated manner	88
3.3.3	Coronin 1B regulates SSH1L localization and Cofilin activity	89
3.3.4	The coordination of Arp2/3 complex and Cofilin activity in lamellipodia	93

4	F-actin binding to Coronin 1B	94
4.1	Background	95
4.2	Results	99
4.2.1	Ectopic expression of Coronin 1B in <i>Drosophila</i> S2 cells induces F-actin cables	99
4.2.2	Identification of a critical F-actin binding residue on the surface of the propeller	101
4.2.3	R30 is essential for Coronin 1B binding to F-actin <i>in vitro</i>	103
4.2.4	Full-length Coronin 1B does not enhance Cofilin binding to F-actin	107
4.2.5	Coronin 1B can bundle F-actin <i>in vitro</i>	113
4.2.6	High affinity F-actin binding is required for Coronin 1B's stable leading edge localization	115
4.2.7	F-actin binding mutants fail to rescue Coronin 1B depletion-induced motility phenotypes	119
4.3	Discussion	122
4.3.1	The interaction of Coronin 1B with F-actin <i>in vitro</i>	125
4.3.2	The role of Coronin 1B-F-actin interactions <i>in vivo</i>	128
5	Coronin 1B antagonizes Cortactin and remodels Arp2/3-containing actin branches in lamellipodia	129
5.1	Background	130
5.2	Results	133
5.2.1	Coronin 1B and Cortactin have distinct leading edge localization patterns	133
5.2.2	Coronin 1B and Cortactin interact with distinct pools of Arp2/3 complex, and influence its distribution differentially	135
5.2.3	Coronin 1B antagonizes Cortactin <i>in vitro</i>	137

5.2.4	Coronin 1B de-branches actin branches, and competes with the branch stabilization activity of Cortactin	139
5.2.5	Coronin 1B induces dissociation of Arp2/3 complex from sides of actin filaments	146
5.2.6	Coronin 1B localizes to actin branches both <i>in vitro</i> and <i>in vivo</i> .	149
5.2.7	Coronin 1B and Arp2/3 complex correlate in lamellipodia with sequential spatio-temporal dynamics	157
5.2.8	Depletion of Coronin 1B and Cortactin interfere with retrograde flow dynamics of actin and Arp2/3 complex	161
5.2.9	Targeting active Coronin 1B to the plasma membrane disrupts the dendritic actin network	164
5.2.10	Coronin 1B and Cortactin antagonize each other <i>in vivo</i>	165
5.3	Discussion	167
5.3.1	A working model for Coronin 1B function	169
5.3.2	Cortactin stabilizes Arp2/3 complex at actin branches <i>in vivo</i> .	171
5.3.3	Antagonism between Coronin 1B and Cortactin	174
5.3.4	Coronin 1B remodels the Arp2/3-containing actin network . . .	175
5.3.5	Turnover of the branched actin network through the combined action of Coronin 1B, Slingshot 1L and Cofilin	177
5.3.6	Regulation of Coronin 1B branch remodeling activity	179
6	Future prospect	181
6.1	The interaction between type I Coronins and the Arp2/3 complex . . .	182
6.2	The interactions between Coronins and SSH1L	184
6.3	Redundancy of Coronin genes in mammal	186
6.4	Regulated oligomerization of Coronin could influence its function . . .	188
6.5	Functions of WD40 repeats containing proteins	188

A	List of <i>E.coli</i> stock	193
B	List of PCR primers	203
C	Published materials and methods	212
C.1	General materials and methods	212
C.2	Coronin 1B antibody production and affinity purification	212
C.3	Cell culture and viral transduction	214
C.4	Molecular cloning	214
C.5	TaqMan qRT-PCR	215
C.6	<i>Drosophila</i> S2 cell actin cable formation assay	215
C.7	Recombinant Coronin 1B protein production	216
C.8	Actin co-sedimentation	217
C.9	Pyrene actin polymerization assay	218
C.10	Pyrene actin depolymerization assay	218
C.11	Actin TIRF assay	219
C.12	Second-wave actin debranching assay	219
C.13	Arp2/3 dissociation assay	219
C.14	Partial proteolysis and circular dichroism analysis	220
C.15	Immunoprecipitation	220
C.16	<i>In vitro</i> phosphorylation	220
C.17	<i>In vivo</i> phosphorylation	221
C.18	Peptide mapping	221
C.19	<i>In vivo</i> Coronin 1B dephosphorylation assay	221
C.20	Light microscopy and image analysis	222

C.21 Lamellipodial co-localization analysis	222
C.22 Active/total Cofilin ratio imaging	223
C.23 Analysis of free actin filament barbed ends <i>in vivo</i>	224
C.24 Negative stained samples to TEM	224
C.25 Platinum replica electron microscopy	225
C.26 PMA-induced ruffling assay	225
C.27 Single cell tracking	225
C.28 Kymography analysis	226
C.29 Actin retrograde flow measurement	226
D Experimental protocols and recipes	227
D.1 2-D phospho-peptide mapping	227
D.2 Combined TIRF assays	229
D.3 293Q mammalian protein purification system	231
D.4 Live cell staining by CellTracker	232
D.5 Microscopy media for live cell imaging without CO ₂ supply	232
D.6 Transferrin uptake assay	233
D.7 ATP depletion/recovery assay	233
D.8 Coronin 1B protein expression and purification from S2 cells	233
D.9 Produce Coronin 1B protein in <i>E.coli</i> by TVH system	234
D.10 <i>In vitro</i> Slingshot phosphatase assay	235
D.11 Arp2/3 ATP hydrolysis assay	236
D.12 Chloroform/methanol precipitation	237
D.13 Polyclonal antibody affinity purification	237

D.14 Freeze <i>E.coli</i> cells	239
D.15 Freeze mammalian cells	239
D.16 Using PolyFect transient transfect Rat2 fibroblasts	239
D.17 General media and solutions	239
Index	241
Bibliography	242

List of Figures

1.1	Purified Arp2/3 complex	10
1.2	Coronin 1B domain structure	19
1.3	Coronin 1B constructs	20
2.1	Expression, oligomerization, and localization of Coronin 1B	29
2.2	PMA stimulates Coronin 1B phosphorylation <i>in vivo</i>	32
2.3	Coronin 1B interacts <i>in vivo</i> with the Arp2/3 complex in a PKC phosphorylation dependent manner	34
2.4	Coronin 1B is robustly phosphorylated both <i>in vitro</i> and <i>in vivo</i>	35
2.5	PKC δ is not the <i>in vivo</i> kinase of Coronin 1B	36
2.6	Coronin 1B is phosphorylated on an N-terminal site	38
2.7	Ser2 of Coronin 1B is the site directly phosphorylated by PKC <i>in vivo</i>	40
2.8	Ser2 mutants affect the interaction between Coronin 1B and the Arp2/3 complex, but not subcellular localization	42
2.9	Phosphorylation of Coronin 1B at Ser2 regulates cell migration	46
3.1	SSH1L localizes to the back of lamellipodia	57
3.2	Depletion of Coronin 1B slows whole cell migration and alters lamellipodial dynamics	58
3.3	Depletion of Coronin 1B slows retrograde actin flow, influences barbed end distribution and filament architecture at the leading edge	60
3.4	Barbed end assay quantification	62
3.5	Depletion of Coronin 1B alters actin ultra-structure at the leading edge	64
3.6	Coronin 1B protein purification	66
3.7	Coronin 1B's inhibition of Arp2/3 nucleation is dependent on phosphorylation at Serine 2	67

3.8	Coronin 1B inhibits actin nucleation by Arp2/3 complex <i>in vitro</i>	68
3.9	Effects of Coronin 1B on spontaneous actin assembly and barbed end elongation induced by Spectrin-actin seeds	69
3.10	Interactions between Coronin 1B and Slingshot 1L	71
3.11	Quantification of the concentration of Coronin 1B in HEK293 cells . . .	73
3.12	Protein production of wild type and phosphorylated Coronin 1B . . .	75
3.13	SSH1L directly binds to Coronin 1B	76
3.14	SSH3 localizes to the leading edge during PMA stimulation	77
3.15	Coronin 1B only interacts with SSH1L not SSH3	78
3.16	N terminus of Coronin 1B is required for its interaction with SSH1L . .	79
3.17	Depletion of Coronin 1B inhibits SSH1L-induced membrane ruffling .	81
3.18	Depletion of Coronin 1B disrupts targeting of Slingshot 1L to the leading edge	82
3.19	Depletion of Coronin 1B increases phosphorylation of Cofilin and expression of activated Cofilin (S3A) partially rescues the effects of Coronin 1B depletion on lamellipodia dynamics	86
3.20	Depletion of Coronin 1B does not alter the distribution of endogenous Cofilin and Cortactin in Rat2 fibroblasts	91
3.21	In the presence of SSH1L GFP fusions, PMA stimulation enhances the interaction between Coronin 1B and Arp2/3 complex	92
4.1	Sequence similarity between Coronin 1A and 1B	98
4.2	Coronin 1B induces F-actin cables in <i>Drosophila</i> S2 cells independently of the Arp2/3 complex	100
4.3	A conserved surface exposed residue, R30, in Coronin 1B is responsible for actin cable formation	103
4.4	Pelleting of actin filaments polymerized from ATP and ADP G-actin .	104
4.5	Coronin 1B preferentially binds to ATP/ADP-Pi F-actin and mutation of R30 abolishes binding	107

4.6	The R30D mutation does not disrupt Coronin 1B protein structure . . .	108
4.7	The R30D mutation does not perturb other known Coronin 1B molecular interactions	109
4.8	Coronin 1B protects filament from Cofilin-induced depolymerization and binds antagonistically with Cofilin to F-actin	110
4.9	The binding of both Coronin 1A and Coronin 1B to F-actin is antagonized by Cofilin	112
4.10	Coronin 1B cannot oligomerize post-lysis	113
4.11	Coronin 1B Δ CC mutant binds poorly to F-actin, loses leading edge enrichment, and fails to rescue Coronin 1B depletion induced slow motility	113
4.12	Coronin 1B can bundle actin filaments <i>in vitro</i>	117
4.13	Lentiviral based knockdown/rescue system for Coronin 1B	119
4.14	Replacing endogenous Coronin 1B with GFP fusions	120
4.15	F-actin binding is required for efficient and stable leading edge localization of Coronin 1B	122
4.16	Coronin 1B recovery kinetics in FRAP	123
4.17	The R30D mutant cannot rescue Coronin 1B depletion phenotypes . .	124
4.18	Na_2SO_4 does not interfere Coronin 1B's F-actin binding	125
5.1	Coronin 1B and Cortactin localize differentially in lamellipodia	135
5.2	Cortactin protein purification	136
5.3	Cortactin synergizes with VCA to stimulate Arp2/3 activity	138
5.4	Coronin 1B antagonizes Cortactin <i>in vitro</i> and inhibits actin branch formation	141
5.5	Coronin 1B R30D mutant cannot inhibit Arp2/3 nucleation activated by VCA	142
5.6	Coronin 1B slightly slows down total actin filament accumulation in TIRFM	143

5.7	Coronin 1B dissociates Arp2/3 complex from the sides of actin filaments	144
5.8	Coronin 1B dissociates Arp2/3 complex from the side of filaments much more efficiently than Cofilin	148
5.9	Coronin 1B dissociates Arp2/3 complex from sheared actin filaments .	149
5.10	Coronin 1B localizes to actin branches <i>in vitro</i> and <i>in vivo</i>	150
5.11	Arp2/3 complex localization <i>in vivo</i> visualized by electron microscopy	153
5.12	Coronin 1B <i>in vivo</i> localization visualized by electron microscopy . . .	154
5.13	RNAi strategy to deplete Cortactin and p34Arc	156
5.14	Expression and localization of fluorescently tagged Coronin 1B, p34Arc and Cortactin	158
5.15	Coronin 1B, Cortactin and Arp2/3 complex have distinct dynamics <i>in vivo</i>	160
5.16	Targeting of active Coronin 1B to the plasma membrane alters actin ultrastructure	163
5.17	Membrane targeted Coronin 1B is hyper-phosphorylated because it cannot be dephosphorylated by the normal mechanism	165
5.18	Rat2 cells expressing membrane targeted Coronin 1B has normal lamellipodial actin structure	166
5.19	Double depletion of Coronin 1B and Cortactin cannot rescue migration defects observed in single knockdowns	167
5.20	Coronin 1B and Cortactin regulates cell motility in a complex manner .	168
5.21	Coronin 1B and Cortactin regulates cell motility by affecting actin dynamics	170
5.22	Coronin 1B antagonizes Cortactin and coordinates actin dynamics in lamellipodia	173
5.23	Coronin 1B, Cortactin and GST-VCA affect the association of Arp2/3 complex with actin filaments	176
5.24	BSA does not co-sediment with actin filaments	179

6.1	Coronin 1C lacks Serine 2 phosphorylation	187
6.2	Phylogenetic tree of WD40 repeats containing proteins	189
C.1	Purified proteins used in <i>in vitro</i> assays	213

List of Tables

2.1	PMA-induced ruffling response	44
5.1	Coronin 1B and Arp2/3 are mutually exclusive in actin branches . . .	154
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	193
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	194
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	195
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	196
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	197
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	198
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	199
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	200
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	201
A.1	<i>E.coli</i> stock listed by chronicle (Jan 13 th 2004 – Oct 29 th 2007)	202
B.1	Primers for shRNA constructs	203
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	204
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	205
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	206
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	207
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	208
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	209
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	210
B.2	Primers listed by chronicle (Jan 28 th 2004 – Jul 18 th 2007)	211

List of Abbreviations

Abp	actin-binding protein
ADF	actin depolymerizing factor
Arp	actin-related protein
ANOVA	analysis of variance
ANCOVA	analysis of covariance
BSA	bovine serum albumin
Coro1B	Coronin 1B
CI	confidence interval
CTTN	Cortactin
EGF	epidermal growth factor
FACS	fluorescence activated cell sorting
FBS	fetal bovine serum
GST	glutathione S-transferase
hr	hour
HOAc	acetic acid
IB	immunoblotting
IF	immunofluorescence
LIMK	LIM kinase
IP	immunoprecipitation
MBP	maltose-binding protein
MEF	mouse embryonic fibroblast
min	minute
N-WASP	neural WiskottAldrich syndrome protein
NGF	nerve growth factor

NPF	nucleation promoting factor
PAGE	polyacrylamide gel electrophoresis
PBS	phosphate-buffered saline
PCR	polymerase chain reaction
PDGF	platelet-derived growth factor
PKC	protein kinase C
PLC	phospholipase C
PMA	phorbol-12-myristate-13-acetate
SAS	Spectrin F-actin seeds
SCAR	suppressor of cAMP receptor
SD	standard deviation
SEM	standard error of the mean
Ser	Serine
SSH	Slingshot
STS	staurosporine
TEM	transmission electron microscopy
TIRF	total internal reflection
TIRFM	total internal reflection microscopy
VCA	verprolin-central-acidic domain of N-WASP
WASP	WiskottAldrich syndrome protein
WAVE	WASP family verprolin homologous
WH2	WASP homology 2
WT	wild type